

GOVERNMENT OF TELANGANA
ABSTRACT

Public Services – RWS&S Department – Allegations of irregularities in laying of pipelines in Fakirabad and Abbapur Thanda, Navipet Mandal, Nizamabad District - Disciplinary proceedings initiated against Sri U.S.N. Murthy, the then i/c Executive Engineer, RWS&S, Nizamabad and Sri K. Chowdari Babu, Dy. Executive Engineer, RWS&S Bodhan, Nizamabad - Appointment of Chief Engineer, Vigilance & Quality Control, RWS&S, Hyderabad as Enquiry Officer and the Superintending Engineer, RWS&S, Nizamabad District as Presenting Officer, under Rule 20 of A.P. Civil Services (CC&A) Rules, 1991 – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 648

Dated: 07/10/2015
Read the following:-

1. From the Chief Engineer, V&QC, RWS&S, Hyderabad
Lr.No.AEE2/RWS&S/V&QC/627/Navipet/NZB/2013, dt. 01.03.2013.
2. G.O.Rt.No.1019, PR&RD (Vig.I) Dept., dt. 24.06.2013.
3. G.O.Rt.No.1020, PR&RD (Vig.I) Dept., dt. 24.06.2013.
4. From the ENC, RWS&S, Hyderabad Lr.No.Vig.(2)/RWS&S/3067/2013,
dt. 29.11.2014.
5. G.O.Rt.No. 646, PR&RD (Vig.I) Dept., dt.07.10.2015.

ORDER:

In the references 2nd to 3rd read above, charges were framed against Sri U.S.N. Murthy, the then i/c Executive Engineer, RWS&S, Nizamabad and Sri K. Chowdari Babu, Dy. Executive Engineer, RWS&S Bodhan, Nizamabad, under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991, on the allegations of irregularities in laying of pipelines in Fakirabad and Abbapur Thanda, Navipet Mandal, Nizamabad District.

2. In the reference 4th read above, the Engineer-in-Chief, RWS&S, Hyderabad has furnished the written statements of defence of both the charged officers.

3. After examining the Written Statements of Defence of both the charged officers, Government have decided to conduct common enquiry into the charges framed and accordingly Government hereby appoint the Chief Engineer, V&QC, RWS&S, Hyderabad as Enquiry Officer, under Rule 20 (2) of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, to conduct common inquiry into the charges framed against Sri U.S.N. Murthy, the then i/c Executive Engineer, RWS&S, Nizamabad presently working as i/c Executive Engineer, RWS&S Division, Adilabad and Sri K. Chowdari Babu, Dy. Executive Engineer, RWS&S Bodhan, Nizamabad, on the allegations of irregularities in laying of pipelines in Fakirabad and Abbapur Thanda, Navipet Mandal, Nizamabad District.

4. Government also hereby appoint the Superintending Engineer, RWS&S, Nizamabad District as Presenting Officer, to present the case before the Enquiry Officer, under Rule 20 (5) (c) of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991, on behalf of the disciplinary authority.

5. The Presenting Officer shall acquaint himself with the facts of the case and present the case before the Enquiry Officer effectively. He is also permitted to furnish the records required during the enquiry by the Enquiry Officer keeping in view of their necessity in the enquiry without referring the matter to the Government.

(PTO)

::2::

6. The Enquiry Officer is requested to conduct enquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 and submit his report as required under sub-rule 18 (ii) of the above said Rule. Copies of Charge Memo issued to the Delinquent Officers and the Written Statements of Defence submitted by them are herewith furnished to the Inquiry Officer as required under Rule 20 (7) of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

J. RAYMOND PETER
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Chief Engineer, V&QC, RWS&S, Hyderabad & Enquiry Officer (w.e.)
The Superintending Engineer, RWS&S, Nizamabad District & Presenting Officer (w.e.)
Copy to:
The Individuals concerned through the Engineer-in-Chief, RWS&S, Hyderabad.
The Engineer-in-Chief, RWS&S, Hyderabad.
SF/SC

//FORWARDED: BY ORDER//

SECTION OFFICER